


215278




*Class* 10a *No.* 418

*Presented by*


E. B. Krumbhaar, M. D.



10a  
418









Hodge  
January 18<sup>th</sup> 1861.

Lecture II

Signs of Pregnancy

There is always a disposition  
to Plithura during pregna  
nancy & from nervous  
irritation on account  
of the brain congestion  
you may have hyper  
al convulsions.


~~congestion~~ always  
following congestion  
The blood drawn from  
pregnant woman is  
very profuse in filum  
there is also more curm  
this increases in all  
the organs of the body  
to dema occurring in the  
lower extremities

215278

MAR. 21, 1963


Pregnant woman should not  
be excited in any way no  
indigestion nor constipation  
if there be much dys-  
pnoea or Plethora you  
must then regulate the  
diet. if a disposition to  
constipation give lax-  
atives also diaphoretics  
and good exercise.  
There may be pain  
for want of exercise.  
Cool bathing is also  
of great service. if the  
skin be very dry.  
hot baths must be  
avoided particularly  
you might also put  
your patient on  
Salines the great Plethora  
will bring on depression





Which will bring on  
convulsions. Hodge  
says when there is great  
disposition to convul-  
sions take away  
30 or 40 ounces of blood  
Hodge says it takes  
away all animal food  
during the last ~~the~~ 6  
weeks of pregnancy


Local Symptoms  
are of two kinds.  
1<sup>st</sup> is pressure of the  
uterus there may be  
retroversion which  
must be relieved on  
account of its pressure  
on the bladder.  
you must take care  
that there is regular  
& normal discharges





The Stomach is the  
organ which suffers  
most from irritation.  
Animal food should  
be used in those cases  
you may also give a  
(Hot Whiskey Punch)  
Mint Juleps Sherry Cobbler  
&c. To quiet the  
irritability of the stomach  
Flemming's Liniment  
of a conit & also  
some stimulant before  
she gets up in the  
morning.

Saturation occurs  
during pregnancy which  
should be let alone  
or if you doubt then  
may be a




### Lecture 13

January 21<sup>st</sup> 1861.

Hodges says many  
a case of temporary  
convulsions are  
brought on from  
eating a hot supper  
~~or~~ any very stimula-  
ting substance in  
the latter weeks of  
pregnancy.

Labor  
is that function of  
a female accompanied by  
which ovum is delivered.  
The regular period is  
280 days or 10 Lunar  
months. From the  
last time the menses  
has been seen,






or the have been known  
to go 11 calendar months  
Causes are Natural &  
accidental. The natural  
is a fixed law of animal  
economy.

Accidental causes.  
may be many.

Irritations of the mind  
brain or any excitement  
or habitual abortion  
or displacements of  
the different kinds  
and irritable state  
of the uterus.


There may be a great  
pain or there may  
be scarcely any.

The contractions of  
the uterus are in truth  
involuntary





The first effects of  
contractions of uterus  
is dilatation of the ap-  
uteri. As the contractions  
go on the ap uteri is  
drawn up towards  
the superior portion.  
The muscles of the abd-  
omen should not be  
brought to act until  
the ap uteri is dilated  
At labour the strong-  
er and more Pethoric  
the patient the more  
relaxed all the tissues  
are.



Spectrum 45  
January 23<sup>rd</sup> 1861


## Labour

It is that function  
of the economy by  
which a woman  
is delivered of her offspring

It may come on  
suddenly, or it may  
have the usual premo-  
nitory symptoms.


There are 3 stages  
of Labour 1<sup>st</sup> dilatation  
of the os uteri 2<sup>nd</sup> delivery  
of child 3<sup>rd</sup> that of Placenta  
When Labour is coming  
on there is pain in the  
back extending all around  
& extending also to  
the sacral region





The grinding pains are those which denote the operation. It may commence with a chill or with a sick stomach the irritation being entirely sympathetic. It very seldom does any mischief.

The first stage lasts generally 10 hours. In the second stage the bearing down pains commence, all the voluntary muscles are in a state of contraction. There is often a loss of voice left from the great bearing down during Labour. There is also great perspiration.






You may have Hæmo-  
Rage from the Tongue  
& also often bring on  
general convulsions  
There may also occur  
cramps in the legs  
from pressure on  
the sacral nerves.

The nervous system becom-  
es so excite sometimes that  
it may amount to  
mania.

The head has to pass  
through four openings  
In the second stage  
the pains last longer  
& are more frequent  
also. In second stage  
there is danger from  
pressure on the cord




It also on the child from  
contractions of the uterus  
& detachment of Placenta

There are also 3 stages  
of the delivery of Placenta  
1. 1st detachment


### Lecture 26

January 24<sup>th</sup> 1861  
During first stage there  
is no bearing down  
effort. If the uterus does  
not contract you  
will have hemorrhage from  
those patches or apices  
more deaths occur in  
the 3<sup>rd</sup> stage than in  
the others. The uterus  
is pressed forward  
by the abdominal  
viscera & anteriorly  
by the abdominal muscles






A Presentation is that  
part that presents to us  
As of the Superior Stand  
the Labours are  
of 21 kinds simple  
& complicated  
Mechanica or Natural  
Labour is the first  
Lecture 47  
January 28<sup>th</sup> 1861





Spectrum 28  
January 29: 1861  
After "Labour" don't  
remove the woman  
from one bed to  
another.  
The Bed &c

Always have plenty  
of hot water at  
hand, along with  
some good brandy  
be sure the bladder  
is evacuated well.  
If the rectum be load-  
ed with feces give  
large injections of  
warm water.  
Warm Poultices  
internally farlow  
massage during



Labour. Let everything  
be cheerful & consolation take care  
you don't give stimu-  
lating drinks during  
Labour. Without them  
is absolute necessity,  
it may be only minutes  
you may be sent  
for when there is  
no Labour. The char-  
acter of the pains will  
tell you. The ap. uteri  
will determine this.  
It is almost impossible  
to tell how soon the  
Labour will end.  
Take care there is  
not much bearing  
down until the os  
is dilated.




*[Faint, illegible handwriting visible through the paper, likely bleed-through from the reverse side.]*



If there should be  
much bearing down  
in the 1<sup>st</sup> stage there  
may be a rupture of  
the ~~uterus~~ uterus  
5<sup>th</sup> stage who must  
be in bed in this  
stage & not allowed  
to rise.

The position is gener-  
ally on the left side  
make an examination  
during a pain. This is  
dangerous particularly  
if you touch the os  
as you might rupture  
the bag of waters.

but take care the  
os is dilated enough  
to let the head pass  
it is advantageous to  
rupture the ~~the~~ the seam



The best time to supper  
is during a pain.

When you do puncture  
re take care you dont  
puncture the uterus or  
the child's head.

After the waters are  
evacuated of the waters  
she must bare down  
all she can. but  
not if there be no  
pain. as soon as  
the pain is over  
take a good sigh.

*[Faint, illegible handwriting visible through the paper, likely from the reverse side.]*




February 6<sup>th</sup> 1861.  
The present position of the  
perineum you must  
support & tell the patient  
not to bear down so  
much. Let rest be  
taken all day & by  
itself don't try to  
proceed it.


After the delivery be  
sure the uterus is abra-  
ched before you have.

If possible you ought  
always try & get the  
ovary put under the arch of  
the pubis.

When you have a 6<sup>th</sup>  
position let it alone.  
In each presentation  
take care you don't  
rupture the membrane



The first stage should  
be as long as possible  
so as to facilitate the  
dilatation of the uteri  
after the membranes  
are ruptured. The  
she must bear down  
as much as she can,  
as this will be the only  
way of facilitating  
flexion.






February 8<sup>th</sup> 1861

When children are appa  
rently dead when born  
Asphyxiated, Wash the  
child in some alcoholic  
Liquor or in a warm  
bath with some alcohol  
in it (take care it is  
not fatigued).


You might put the  
child in Hot water  
without detaching it  
from the mother.  
This will be likely to  
excite respiration.  
While the child is  
in the water pour  
some cold brandy or  
Whisky on the breast  
of the child.



It may be done  
an hour before respi-  
ration is restored  
Sometimes volatile  
substances passed  
across the nose. or by  
a stimulating enema  
of turpentine or brandy  
or by artificial respiration.

Washing the child  
to remove the sabaceous  
matter before putting  
in the bath it should  
be well lanced over  
before putting in the bath  
after taking it out  
dry it well so as to  
bring up capillary circula-  
tion. Be also care-  
ful when dressing the








word that it don't after  
wards touch the skin.


Then apply a band  
around the waist.  
This is merely to secure  
the dressing. take  
care it is not made  
so tight. as to interfere  
with respiration  
(Gaps should not  
be put on)



February 22<sup>nd</sup> 1861


It is in almost all cases better to remove the placenta if the mother is in a good condition. After the labours apply a bandage around the perineum. It should be put on in such a way as to compress the intestines upon the uterus.

This promotes the contractions of the muscles & keeps up the contractions of the uterus. & prevents any disposition to swoon & faintness. Be sure that reaction sets in before you leave. When there is collapse after labour there is a disposition





the flooding. After pain  
has not occurred in first  
labours the presence  
of coagulable clots  
give rise to these  
pains. Be sure  
the pains are not more  
on one side than the  
others. It starts feeling  
sore. The hard contra-  
ction having disappeared  
This may be Puerperal fever  
Inflammation is apt to  
occur until there is  
a free flow of milk  
to the breast. This being  
the safety valve.



# Distochia


February 13<sup>th</sup> 1861  
The great danger in  
the accura operation  
from rupture.

If it be performed  
it should be done  
before the second  
stage commences.

First malpresentation  
of the breech.

Abortion may be  
owing to displacement  
of the uterus. If the dis-  
placement can't be cor-  
rected you must bring  
on labour or a caesarian.







February 28<sup>th</sup> 1861

Pycnos  
Skin diseases Protrusion

Tevrigo  
is a disease of the  
hair, follicles.

Empetigo  
the scap looks like  
dried honey.

Echyma  
It looks like small  
boils, developed upon  
a hard inflamed  
base. It looks like  
the rash from Test  
ant. Ointment. May  
or may not be  
constitutional  
affection. It may  
acute lasts only  
10 days the are

St. Louis  
The Atlantic  
St. Louis

associated with syphilis  
Treatment. gentle  
caustics. general principles.

Parigo  
Charl's or Iscald head  
It is a disease owing  
to perverted nutrition  
There is a doubt as to  
its contagion (but  
be careful) Why the  
pus is allowed to accu-  
mulate it is very  
offensive

Treatment some  
alcohol solution at  
first the use of tar  
Ointment. also with  
constitutional treatment.



Don't  
Wrestle with the  
Evil

W. Conklin & Son Co. Inc.

• *torrui*

*Handwritten:* The same as

There are three more

The garden the other

✓ has been the catalyst

most in the house -

the water of the lake

James a son

of 1880-1881

~~Walter M.~~



Achney  
It generally occurs  
in healthy persons.  
It is a disease of  
the follicles of the skin  
sometimes owing to  
constitutional vice,  
wh it occurs in young  
persons. It should  
take plenty of out  
door exercise & only  
to constipation.  
If you want to remove  
the use of No. 1  
or weak sort of  
cosmetic.

Achney Rosacea  
come out the nose  
comes on in women  
wh the complexion  
stops. If the

With plentiful supply  
in external surface  
of several Hemiphragms  
at the base of the thorax  
local formation as  
intercalated & small  
pockets  
of the crystalline the  
characteristics of the  
muscular system

So attend to the  
bowels.

### Pecassio

Barbers I see  
attack the chin  
generally. It is a  
cryptogamic plant  
attacking the roots  
of the hair  
It may last for  
years, giving it  
coming cause.  
may cause  
thick scabs. or heat  
Treatment attend  
to the alimentary canal  
& give Howe's Tonic



Where operations  
concerning the nervous  
system  
1st Anatomical Correlates  
apparently, regarding the  
organic functions of the  
of consciousness of the  
organism.  
1st - Local symptoms at the  
2nd - Symptoms of the nervous  
system 3rd - Anatomical  
data correlating the  
organic functions  
of the nervous system  
It is essential to observe  
the condition through  
which is apparent  
the knowledge of the  
situation itself  
for content such as  
can be seen at the base  
of the brain in the  
nuclei



Leopra  
It is generally Herid  
atony. Great With  
Loft Patassa.

Smith

Diagnosis between  
Cataract & Amrosis

1<sup>st</sup> Cataract patient  
shade the eyes with hand  
& hold the head down  
to one side Amrotic  
vacant expression.  
looking forward.

2<sup>nd</sup> Mobility of the Iris  
greatest in Cataract  
Case. 3<sup>rd</sup> The Chloromys  
in Insuperent Cataract  
is whitish or Milky  
& seen from any  
position In Glaucoma  
greenish & seen best

Jo of  
to number 7th

London 20th

1st of November, 1891

My dear Sir,

I have received your letter of the 18th inst.

and am sorry to hear that you are unwell.

I am very sorry to hear of your illness.

I am very sorry to hear of your illness.

I am very sorry to hear of your illness.

I am very sorry to hear of your illness.

I am very sorry to hear of your illness.

I am very sorry to hear of your illness.

I am very sorry to hear of your illness.

I am very sorry to hear of your illness.

I am very sorry to hear of your illness.

I am very sorry to hear of your illness.

I am very sorry to hear of your illness.

I am very sorry to hear of your illness.

I am very sorry to hear of your illness.

I am very sorry to hear of your illness.

I am very sorry to hear of your illness.


if we look directly  
into the pupil  
2<sup>nd</sup> In Glaucoma  
the disease appears  
obscurely deep in the eye  
In Cataract just  
behind the pupil.

3<sup>rd</sup> Surface of the catar  
actous opacity appears  
rough & dull.  
Glecomatous smooth  
& shiny.

6<sup>th</sup> Eyeball in glaucoma  
patient. false p<sup>er</sup>manently  
firm.

7<sup>th</sup> Catoptric test.  
Cataract even in  
early stages, obliterates  
the inverted image  
& renders one indistinct








Glaucoma only  
When very advanced  
~~observed~~ inverted  
image in all its stages  
renders deepest ones  
more distinct than  
natural.

John




The Rev. Mr. 37

of January 18th 1861


Information

A discrepancy of fifteen  
gives a change of opinion  
of the state of the matter  
always given the  
information is an  
case of at  
some cases  
the case of the three  
is entirely broken down  
they came that from  
as information  
on ready to report.







*[Faint, illegible handwriting, likely bleed-through from the reverse side of the page.]*











Spargelia  
It is characterized by the shape  
of its branches. The young  
leaves occur from the  
joints with the first  
green when the first  
leaves occur. The leaves  
are the same. The  
first in 2 hours at  
the same days. The  
patient is subject to a  
degree of attack.  
The most common  
predominant cause  
is a degeneration  
of the blood vessels at  
impairment and








Shortenth Claps

J Rufus Tryon N.Y.  
John J. Linnier Pa  
Henry Rapp Pa  
George May Pa  
James Craighill Pa  
Mr E Dodson N.C.  
William A A Cobb N.C.  
William C Morrison Pa  
Thomas S Morrison Pa  
Hugh Cameron N.S.

Cahee  
Southern  
Lumber


Simple  
Shipping & Insurance


Desired Results  
To be a Ship

















preservation as  
determined by the  
microscopist and by  
the chemical test of  
a chain of that No. 5  
a chain on test paper  
~~to prevent~~ "thickens"



[illegible]

[illegible]



~~Smith~~

generally increased  
diminished or absent

spinal sensitivity

right hand, thumb

lost touch, this in one

a diminished touch

determined. Another

normal or normal

gauge pain in

prolonged burning

condition contractions

negatively paralytic.

of lower limb

11. Disease of the

muscle with some degree

made of mechanical

lower limb. Proximal

condition of the

muscle is different

to that in the

upper limb

to the same degree

Smith

or since present

with or without

inherent in the

or singular, plural

as determined by person

or, or of the

determined. Thus

great not come as

comes as an element

by association

of abnormal character

of a position

and help

Various systems

of the influence of

the position is determined

of the position

inherent in the


deep sleep & coma

of the cord & brain

of the general










The sand clay

Infiltration

is common to all  
warm blooded animals.  
It occurs in the feet  
of the large and  
of the water.

It is caused by a  
change in the  
circulation of the  
port. It is the state  
of the animal  
organism.

These are all signs  
of heat given out  
from the heat  
from the heat.



Deane 55-

February to the 1861

All the acts of the

function of the

the copiers

the mechanical

in connection

with the

the

the

the

the

the


the

the

the


the

the






[illegible]



All the embolic  
never an produced  
by some person in  
the town.


their may be the  
cause of the disease  
such as of epidemic  
disease glanders is of this  
type.  
to the cause is the disease  
how of the disease over  
as the person is infected  
of infectious the lymph  
disease. attack  
the is the cause of  
the stage of the disease  
on the 1st of the month  
of the 1st of the month  
of the 1st of the month








more of the white gorp  
notable and impen-  
the more as the  
red carpenter on the over  
of the living stone  
is an old stone wall  
in the hold -  
joining at the  
further off in the  
taken is in perfect  
condition - the door  
with last year 24 hours  
of the timber is  
had the old boards  
ready. The timber the  
is common in the  
of the stone



[illegible]







18

Leaves

January 28th 1861

Stomach of the  
Pathology of the liver

Clap 15th

the whole quantity  
the blood

1st entry in October

2nd history of America  
Cap 20th


Cap 20th  
the blood

1st of the red corpuscles


embos (Ophioceras)  
the whole quantity

the whole quantity

3rd history of America  
4th history of America




Edinburgh  
in Scotland.  
in which persons  
can not eat water  
that the are given  
by them with the





~~George A. Johnson~~  
and partner




The impulsive, all  
that is a great escape  
that is a disease  
called *Gynaecomania*

Dr. Moore, there  
indications are more  
than any of the other  
impulsive.

Compulsive Impulse  
is which the order  
is in order.

The impulse is not  
of the same kind  
of perfect nature  
of all





Dec 27

Jan 24 1861

My dear friend

My dear friend

My dear friend

My dear friend

My dear friend

My dear friend

My dear friend

My dear friend

My dear friend


My dear friend

My dear friend


My dear friend

My dear friend

My dear friend




An Organon  
is a signified  
thing but it is due  
to present a sum  
of present things  
of present things  
I acknowledge  
I am not an organon  
upon the other for each  
other like the  
of the bank of the  
is the composite thing  
forms - the signified  
distinct of the other  
then at 3 centers  
I hope





The following are the  
 Temperament  
 of the 2nd  
 United States  
 Temperament  
 of the 2nd  
 United States




Every firm  
gives order books  
in exchange etc.  
to the \$5-

Jan 23 1861

first class  
various arrangements  
provisional of  
persons that are  
the a study of persons  
the same

dangerous  
provisional of  
persons that  
are  
various etc  
3 or 4  
ent. the same  
2 or 3  
colpaccio





The Ohio 193


January 21 & 1861

Visitors

General J. C. Davis  
Major J. C. Davis  
Major J. C. Davis

Visitors


1. Major J. C. Davis  
2. Major J. C. Davis  
3. Major J. C. Davis  
4. Major J. C. Davis  
5. Major J. C. Davis



January 18<sup>th</sup> 1861


Section 42

of things are compared  
to the pattern of first  
to the present showing  
that the second are  
the same as the first





Johnston  
January 18th 1861  
Lecture 211  
Comparative Ornithology  
power to draw some con-  
clusions together by placing  
an entire series of our  
Mammals about 2000 species  
and more than 1000  
Reptiles 51 Amphibia and  
is Amphibia 999



~~Friday~~  
Friday 9  
Smith. 9  
Saturday  
9 a day



For Moring Sickness

R. Chloroform  $\frac{1}{2}$  L

I — Zinc

Aromat spt Anaa 3i

ft Mist

20 drops 3 times  
a day

JH



